


# Washer Face Thumb Screws



Create a part number:		
Length	Material	Finish
FCXXXX	XX	XX
_____ - _____ - _____		

Length Table						
FCXXXX	Thread	A +.020 -.000	B +.015 -.015	C +.015 -.015	D +.010 -.010	
FC7100	4-40	3/8	3/16	5/8	5/16	
FC7101	4-40	3/8	3/16	11/16	3/8	
FC7102	4-40	3/8	3/16	3/4	7/16	
FC7103	6-32	3/8	3/16	11/16	3/8	
FC7104	6-32	3/8	3/16	3/4	7/16	
FC7105	6-32	3/8	3/16	13/16	1/2	
FC7106	8-32	7/16	3/16	11/16	3/8	
FC7107	8-32	7/16	3/16	13/16	1/2	
FC7108	8-32	7/16	3/16	15/16	5/8	
FC7109	10-32	7/16	3/16	11/16	3/8	
FC7110	10-32	7/16	3/16	13/16	1/2	
FC7111	10-32	7/16	3/16	15/16	5/8	
FC7112	1/4-20	1/2	1/4	3/4	3/8	
FC7113	1/4-20	1/2	1/4	7/8	1/2	
FC7114	1/4-20	1/2	1/4	1	5/8	
FC7115	1/4-20	1/2	1/4	1-1/8	3/4	

Material	
Material Code (XX)	
A	Aluminum
B	Brass
S	Steel
SS	Stainless Steel

Compatible Finish (XX)	
A, B, S, SS	0 - Plain
B, S	5 - Nickel Plate (QQ-N-290)
A	6 - Iridite #14 Gold (MIL-C-5541E)
A	7 - Iridite Clear (MIL-C-5541E)
A	9 - Alodine 1200
B, S	12 - Zinc Clear (ASTM-B-633)
B, S	16 - Electro Tin (MIL-T-10727 TYPE 1)
SS	20 - Passivation (MIL-F-14072D)
A	22 - Clear Anodize (MIL-A-8625-TYPE2) (Sulphuric) Hot Water Seal (Clear)
A	24 - Black Anodize (MIL-A-8625)
B, S, SS	26 - Black Oxide
B, S	28 - Zinc Yellow (ASTM-B-633)

**Tolerances**  
**Unless otherwise Specified**  
 .xxx +/- .005  
 .xx +/- .010  
 Angular +/- 1 Degree  
 Linear +/- .005  
**Break all sharp edges**

This document is the property of Fascomp Inc. and shall not be reproduced, distributed, or used as a basis for manufacturing without written permission from Fascomp Inc.



Source Control Drawing:  
 To be produced by  
 Fascomp Electronic Hardware